

2025 Base Price & Option List

Purchaser	ORDER 2025		GBP
English	STANDARD BOAT PER STANDARD BOAT EQUIPMENT LIST	220v	1 079 000
	DESTINATION	St Raphael, South of France	
	NUMBER OF CABINS	3	
INTERIOR			
B5-1001	Upholstery Pack 1 – Faux Leather “Milk”	0	x
B5-1003	Upholstery Pack 2 – Faux Leather “Artesian”	0	
B5-1005	Upholstery Pack 3 – Sunbrella “Pebble”	487	x 487
B5-1006	Upholstery Pack 4 – Sunbrella “Stone”	487	
B5-1007	Upholstery Pack 5 – Sunbrella “Dune”	487	
B5-10MM	Upholstery Pack 6 - Silvertex "Macadamia"	487	
B5-1008	Carpets in cabins and corridors – 3 cabin layout. Excludes saloon and galley areas	3 575	
B5-1009	Carpets in cabins and corridors – 4 cabin layout. Excludes saloon and galley areas	3 575	
B5-1015	Carpets in main saloon. Excludes galley area	1 063	
B5-1300	Full length mirrors for 4-Cabin Layout (4)	1 408	
B5-1301	Full length mirrors for 3-Cabin Layout (3)	1 057	
B5-1352	Forepeak berth & heads - port forepeak includes mattress (1), A/C electric outlet (1), USB ports (2), Fire Extinguisher (1), Air Conditioning (subject to option B5-5256 or B5-5257 being selected). Stbd forepeak includes basin with faucet & mirror, electric (Freshwater) heads with dedicated holding tank, Shower with automatic sump drain. Access from deck hatches only.	7 031	
B5-1400	Safe with digital combination lock	434	
B5-1600	Interior saloon blinds - front & side windows	6 989	
B5-1760	Coffee table in lieu of standard folding saloon table	0	
B5-1900	Upholstered ottoman at study desk 3-Cabin Layout as per interior pack choice	571	x 571
ENGINES & DRIVE			
B5-2500	Bow thruster - Fix tunnel thruster in port bow.	12 314	x 12 314
B5-2505	Additional bow thruster controller at Internal Helm (Requires B5-2500). Not to be ordered with option B5-2510/2515	648	x 648
B5-2510	Yanmar JC20 Joystick at Flybridge Helm: Combining Engine and Bow Thruster control (Requires B5-2500). Bow thruster controller from option B5-2500 to be installed at Internal Helm instead of Flybridge helm. Not to be ordered with option B5-2505/15	8 261	
B5-2515	Yanmar JC20 Joystick at Flybridge Helm and Internal Helm: Combining Engine and Bow Thruster control (Requires B5-2500). Bow thruster controller from option B5-2500 will not be installed on boat. Not to be ordered with option B5-2505/10	13 434	
NAVIGATION & ELECTRONICS			
B5-3200	Marine Stereo. Includes Wifi and Bluetooth connectivity. Speakers in saloon (2), aft cockpit (2), fwd. cockpit (2) & flybridge (2). Wired remote controls in fwd. cockpit (1), aft cockpit (1) & flybridge (1). – Note: Raymarine MFD's (not included in option) & personal wireless devices (only if connected wirelesslv to Ravmarine MFD via the Ravmarine APP) can control system	4 329	x 4 329
B5-33MM	Raymarine Base Pack: includes Ray 73 VHF (Multizone with AIS receiver) at Navstation & additional VHF handset at helm, p70 colour autopilot display, 2 x AXIOM12 Multifunction displays in lieu of AXIOM7 Multifunction display at Helmstation c/w retractable depth transducer	13 916	
B5-3304	Raymarine Base Pack: includes VHF (Multizone with AIS receiver) at nav desk & additional VHF handset at helm, p70 colour autopilot display, RS150 GPS, AXIOM XL16 Multifunction display in lieu of AXIOM7 Multifunction display at Helmstation. With retractable depth transducer	17 308	x 17 308
B5-3310	Additional AXIOM XL16 Multifunction display with WiFi at helm (Requires Base Pack)	9 198	
B5-3311	AXIOM XL19 Multifunction display with WiFi at helm in lieu of an AXIOM XL16 Multifunction	5 997	
B5-3312	Additional AXIOM XL19 Multifunction display with WiFi at helm (Requires Base Pack. Can only be taken in conjunction with B5-3311. Not to be taken with B5-3310)	14 935	
B5-3313	AXIOM12 Multifunction display at Internal station in saloon. (Requires Base Pack). Cannot be taken with B5-4130 or B5-4140 unless B5-3400 option is taken. Not to be ordered with B5-3346.	5 291	x 5 291
B5-3335	Autopilot Wireless remote smart controller at Nav station (Requires Base Pack)	1 356	
B5-3336	p70R Rotary Autopilot controller and second throttle at Nav station (Requires base pack). Not to be taken with B5-3400.	7 943	
B5-3341	Digital Radar: includes digital solid state wireless 24nm 18" Radome scanner (Requires Base	3 867	
B5-3342	Quantum Doppler Radar: Includes digital solid state 24nm Radar with Collision Avoidance	5 908	
B5-3346	RealVision 3D Fishfinder: Includes RV-300 Plastic Thru-Hull transducer and 1 x AXIOM12 RV	7 094	
B5-3370	Rear-view Raymarine camera (1) (Requires base pack)	998	x 998
B5-3371	Fwd facing Raymarine camera (1) with Augmented Reality function including AR200 GPS (Requires base pack) in lieu of base pack GPS	1 168	x 1 168
B5-3381	Raymarine Automatic Identification System with AIS Transceiver. (Requires Base Pack)	2 815	x 2 815
ELECTRICAL			
B5-4120	8kW 220V Isolated Shore Power - Includes 8kW isolation transformer with voltage booster function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter options). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC switch panel. Up to 8kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5-4128 can be taken with this option)	10 535	x 10 535
B5-4125	12kW 220V Isolated Shore Power - Includes 12kW isolation transformer with voltage booster function. Powers fixed equipment only, excludes outlet sockets (outlets included in inverter option). Includes retractable 125/250V 50A shore power cable with stainless steel inlet and AC switch panel. 11kW available from 1 x US 110/220V 50A shore supply. (B5-4127 and/or B5-4128 can be taken with this option)	12 721	

B5-4127	US Reverse Y Shore Power Adapter. For connection to 2 x US 30A shore supplies. 6.6 kW available power	640		
B5-4128	European Shore power adapter. For connection to 1 x 220V 32A power supply. 7kW available	508	x	508
B5-4130	Digital Switching (8kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote monitoring and control. (Requires Base Pack). Cannot be taken with B5-3313 unless B5-3400	13 798		
B5-4140	Digital Switching (12kW Shore Power). Includes 1 x AXIOM12 Multifunction display at nav desk. 2 x 6-Way Membrane switch (Saloon and Helm Station). Control of all 12V DC systems. Monitoring of all Batteries, all fluid levels, and critical Alarms. GSM connectivity for remote monitoring and control. (Requires Base Pack). Cannot be taken with B5-3313 unless B5-3400	13 798		
B5-4145	Universal outlet sockets in lieu of standard regional sockets. Must be taken with option B5-4320 or B5-4325	0	x	0
B5-4148	Cordless Remote control (keyring type) for retractable shore power cable. Includes 1 remote control. (Only for boats with shore power option)	684		
B5-4160	Battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power or genset options)	2 638	x	2 638
B5-4165	Additional battery Charger - 12V 100A. 90-265V, 45-65Hz Input (Only for boats with shore power or genset options) (Requires B5-4160)	2 638		
B5-4200	Shaver outlets in heads, 110V with GFI protection—(4) (Only for boats with 110V systems, option B5-4320)	1 178		
B5-4201	Shaver outlets in heads, 110V with GFI protection for 3 cabin layout — (3) (Only for boats with 110V systems, option B5-4320)	883		
B5-4210	Shaver outlets in heads, combination 220V/110V with transformer current protection—(4) (Only for boats with 220V systems, option B5-4325)	1 457		
B5-4211	Shaver outlets in heads, combination 220V/110V with transformer current protection for 3 cabin layout—(3) (Only for boats with 220V systems, option B5-4325)	1 104		
B5-4320	3000W 110V/60Hz inverter. Includes 110V region specific outlet sockets with integrated USB's at specified locations (Only for boats with shore power or genset and option B5-4160. Recommend taking option B5-4515 along with this option)	5 786		
B5-4325	3000W 220V/50Hz inverter. Includes 220V region specific outlet sockets with integrated USB's at specified locations (Only for boats with shore power or genset and option B5-4160. Recommend taking option B5-4515 along with this option)	5 786	x	5 786
B5-4400	Battery monitor to provide status on house batteries. Not to be taken with options B5-4130, B5-4140 and B5-4560	457		
B5-4500	Upgrade std Lead Acid house batteries to AGM batteries	3 170	x	3 170
B5-4510	One additional AGM house battery (210Ah) 5 Total. (Requires B5-4500)	1 168		
B5-4515	Two additional AGM house batteries (210Ah) 6 Total. (Requires B5-4500)	2 873	x	2 873
B5-4525	Four additional AGM house batteries (210Ah) 8 Total. (Requires B5-4500)	4 902		
B5-4550	Link engine starter batteries to house batteries. Operated from Multifunction display at helm (Not to be ordered with option B5-5750)	226	x	226
B5-4560	Lithium ion house batteries in lieu of lead acid batteries - Includes 4 x 200Ah lithium ion batteries (LiFePO4), 100A charging capacity (2 x 50A IP43 Chargers), battery monitor & management system with colour display. (Only for boats with shore power or genset options) Recommend taking option B5-5750 along with this option. Not to be ordered with B5-4160/5 or	23 493		
B5-4600	Ventilation fans in cabins only for 3 cabin layout	525		
B5-4601	Ventilation fans in cabins only for 4 cabin layout	676		
B5-5211	Genset – Northern Lights 12kW supplied from port fuel tank. Fuel transfer ability from stbd to port tank. Only for boats with shore power pack	40 120		
B5-5215	Provision for genset (includes fuel supply, exhaust system with through hull fittings and cooling water system, but excludes genset unit, wiring, battery and genset control panel). Only for boats with shore power pack	7 207	x	7 207
B5-5256	Chilled Water Air Conditioning (3 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x 30000BTU/h and 3 x 5000BTU/h air handlers with 4 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options)	36 654	x	36 654
B5-5257	Chilled Water Air Conditioning (4 Cabin) - Frigomar 70000BTU/h BLDC chiller unit. 1 x 30000BTU/h, 4 x 5000BTU/h air handlers with 5 x digital control panels. Raw water and coolant circulation pumps. (Only for boats with shore power or genset options)	36 866		
B5-5260	Provision for air conditioning (3 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping.	3 296		
B5-5265	Provision for air conditioning (4 cabin). Includes ducting, vents, raw water hoses with thru hull fittings & strainer. Excludes chiller unit, pumps, air handlers, controllers & chilled water piping	3 296		
B5-5615	Motorized TV lift in saloon – For TVs no larger than 40 inches (Requires B5-4320 or B5-4325 for AC power requirements)	2 206		
B5-5616	Motorized TV lift in saloon – For TVs between 40 to 50 inches (Requires B5-4320 or B5-4325 for AC power requirements)	2 406	x	2 406
B5-5680	Provision for TV in owner's cabin (3-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements)	512	x	512
B5-5684	Provision for TV in all cabins (4-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements)	2 043		
B5-5685	Provision for TV in all cabins (3-cabin layout only) - swing bracket & AC outlet (Requires B5-4320 or B5-4325 for AC power requirements)	1 530		
B5-5739	Solar panels 400w each fitted to hard top - (2)	5 533		
B5-5740	Solar panels 400w each fitted to hard top - (4)	10 783		
B5-5741	Solar panels 400w each fitted to hard top - (6)	16 178		
B5-5750	Sterling alternator to battery charger. Includes button on MFD at helm to link engine batteries to house batteries (Not to be ordered with option B5-4550)	2 031		
B5-5800	Underwater Lights - 2 x Blue mounted in stern	4 395		
PLUMBING				
B5-6160	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 3C layout	623	x	623
B5-6161	Electric flushing toilets: Sanimarin (salt and fresh water flush) in lieu of electric salt water flushing toilets for 4C layout	834		
B5-6410	11 Gal Water Heaters in lieu of 6 Gal Water Heaters - (2) 220V	320	x	320
B5-6500	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system	24 385		

B5-6510	Watermaker: Spectra Newport 400 (12 volt), 63 ltr/17 USgal per hr; incl MPC-3000 controller system plus optional Z-ION membrane protection system	27 059		
B5-6515	Sea water inlet seacock with hose led above the waterline (for future watermaker installation)	244	x	244
B5-6560	Watermaker: Sea Recovery 117 ltr/31 USgal per hr, 220v (Can only be taken with Genset or Shore Power Options)	18 969		
B5-6600	Washer/dryer (110V) installed in Port corridor. Must be taken with: 110V inverter (B5-4320) and Battery Charger (B5-4160)	3 513		
B5-6610	Washer/dryer (220V) installed in Port corridor. Must be taken with: 220V inverter (B5-4325) and Battery Charger (B5-4160)	3 513	x	3 513
B5-6700	110V Dishwasher in Galley (Requires B5-4320)	2 638		
B5-6710	220V Dishwasher in Galley (Requires B5-4325)	3 516	x	3 516
B5-6800	Deck wash fitting & pump - tripple wash - dual fresh/salt water system on foredeck and fresh water outlets on flybridge and in aft cockpit	1 125	x	1 125
B5-6850	Stern shower: Hot/cold water in lieu of cold only	323		

HEATING, REFRIGERATION & GAS

B5-7711	Refrigerator in Flybridge Wetbar - 12V	2 110	x	2 110
B5-7715	Two plate electric induction cooktop (110V) in lieu of 4-burner LPG cooktop and complete LPG system. Only for boats with Inverter option (B5-4320). Additional battery charger option must be taken (B5-4165).	0		
B5-7731	Electric Grill: 220V on Flybridge Wetbar. (Can only be taken with Genset or Shore Power	3 165	x	3 165
B5-7740	Wine cooler (110V) in galley (Can only be taken with option B5-4320. Not to be ordered with B5-7741/55/56/58/60)	6 392		
B5-7741	Wine cooler (220V) in galley (Can only be taken with option B5-4325. Not to be ordered with B5-7740/55/56/58/60)	6 014		
B5-7752	Icemaker (110V) installed in flybridge wetbar. (Can only be taken with option B5-4320) Not to be taken with option B5-7753	2 990		
B5-7753	Icemaker (220V) installed in flybridge wetbar. (Can only be taken with option B5-4325). Not to be ordered with option B5-7752	2 990		
B5-7755	Icemaker (110V) installed in galley. (Can only be taken with option B5-4320. Not to be ordered with B5-7740/41/55/58/60)	2 990		
B5-7756	Icemaker (220V) installed in galley. (Can only be taken with option B5-4325. Not to be ordered with B5-7740/41/55/58/60)	2 990		
B5-7761	All-in-one fridge installed in galley with adjustable fridge or freezer function 12V (Not to be	3 381	x	3 381

DECK & HULL

B5-8110	Flybridge enclosure front and sides only with aft sunshade curtain	12 128		
B5-8120	Aft cockpit back shade curtains only	1 616		
B5-8315	Foredeck lounging cushions with adjustable backrests in lieu of standard foredeck lounging cushions	1 861		
B5-8360	S/S Flag pole holder (2)	456		
B5-8370	S/S Rod holders (4)	911		
B5-8400	S/S dive bottle rack - holds 4 bottles	1 107		
B5-8410	S/S dive bottle racks (2) - holds 8 bottles total	1 968		
B5-8550	Flybridge Stairway Hatch	2 419		
B5-8630	Winch type Lifting Platform with Folding Chocks	57 688	x	57 688
B5-8635	Winch type Lifting Platform with Fixed Chocks	57 688		
B5-8700	Aft Coaming step: Port & STBD	843		
B5-8800	Teak aft cockpit table in lieu of standard GRP table	5 769		
B5-8810	Teak flybridge table in lieu of standard GRP table	5 119		
B5-8820	Large GRP aft cockpit table in lieu of standard GRP table with two additional director's chairs	1 063		
B5-8830	Large teak aft cockpit table in lieu of standard GRP table with two additional director's chairs	7 338		
B5-8900	Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635	28 438		
B5-8901	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps - Should only be ordered on boats without B5-8630 / B5-8635	28 438		
B5-8910	Composite teak decking (Colour: Weathered with Black caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635	31 281		
B5-8911	Composite teak decking (Colour: Weathered with White caulking) in aft cockpit, fwd cockpit, flybridge, flybridge steps, transom steps, lifting platform - Can only be ordered with B5-8630 / B5-8635	31 281		

GENERAL EQUIPMENT

B5-9903	55lb (25kg) Delta anchor c/w 165ft (50m) chain	1 672	x	1 672
B5-9905	55lb (25kg) Stainless steel DTX anchor c/w 165ft (50m) galvanised chain	2 621		
B5-9911	35lb (16kg) Britany anchor c/w 26ft (8m) chain & 200ft (61m) warp	967		
B5-9914	230ft (70m) anchor chain in lieu of 165ft (50m) chain	515	x	515
B5-9915	330ft (100m) anchor chain in lieu of 165ft (50m) chain	1 178		
B5-9918	Anchor bridle, shackles and hook	467	x	467
B5-9920	Blue/white fenders (6), white mooring lines (4, 16mm x 10m), white spring lines (2, 16mm x	879		
B5-9930	Black fenders (6), black mooring lines (4, 16mm x 10m), black spring lines (2, 16mm x 15m)	879	x	879

COMMISSIONING & DELIVERY

B5-9950	Transport, documentation and commissioning package: includes anti-fouling paint, transport to Cape Town harbor, launching, commissioning of equipment & sea trials, 3 days marina fees at RCYC & CE certificate	21 442	x	21 442
B5-AUS2	AC System Earth bonding plate fitted below the waterline. Note: Does not include certification.	2 702		
	USCG Safety Package including 8 man life raft, U-bolts and tie downs	4 230		
	CE Safety Package including 8 man life raft, U-bolts and tie downs	4 909	x	4 909
	Cape Town delivery including full detailing, full fuel tanks, and 3 days of dockage in V&A Water Delivery *	4 605		
	Post delivery commissioning	52 346		
	Freight Delivery *	10 738	x	10 738
		51 358	x	51 358

GBP

Total Options	286 112
Total Purchase Price (ex-tax)	1 365 112
Exceptional Rebate	276 112
Total Purchase Price after Rebate (ex-tax)	1 089 000

Purchaser _____ Date _____

Purchaser _____ Date _____

Dealer _____ Date _____

**In-water delivery requires electronics and safety equipment (including life-raft) - Freight is an estimation only and can be a combination of freighter + water delivery
Prices, standard equipment and options are subject to change without notice - All Sales are subject to signed Purchase & Sales Agreement and Deposit
Any modification to the Option List is to be mutually agreed in writing and may result in additional fees - Most recent signed Option List supersedes all previous versions
Cape Town Deliveries require the Boat to leave South African waters within 90 days from the hand-over Date of the Boat from Robertson & Caine to the Dealer.
Failure to do so will result in Buyer to pay an extra 3% of the selling price of the Boat plus South African VAT*

MAIN SPECIFICATIONS

Length overall.....	50'6" / 15.4m
Length overall (including Platform).....	53'1" / 16.19m
Beam max.....	25'2" / 7.67m
Draft (half load).....	3'2" / 1m
Bridgedeck Clearance (half load).....	2'7" / 0.79m
Overall Height above Water Line, including Nav Light Pole (Half load).....	18'6" / 5.65m
Saloon Living Area.....	259.2sqft / 24sqm
Displacement (Light ship).....	47,203lbs / 21,411kg
Load carrying capacity.....	13,490lbs / 6,119kg
Fresh water capacity.....	185gal / 700l
Fuel capacity.....	562gal / 2130l
Holding tank capacity.....	42gal / 160l
Engine Option.....	Yanmar 8LV370
Maximum Speed in Light Ship Conditions in knots.....	25
Cruising Speed in Light Ship Conditions in knots.....	17.5
Maximum Range Speed in Full Load Conditions in knots.....	7.9
Maximum Range Speed (one engine) in Full Load Conditions in nautical miles.....	6.8
Range at Max Speed in nautical miles.....	342
Range at Cruising Speed in nautical miles.....	463
Maximum Range in nautical miles.....	1330
Maximum Range (one engine) in nautical miles.....	1995
Engine Max Power.....	370hp
Engine Number of Cylinders.....	8

Note: Speed and range figures can vary depending on measurement conditions and fuel quality.

STANDARD BOAT EQUIPMENT LIST

SALOON

Laminate finishes with solid wood trims
 Folding saloon table with two fixed legs
 Settee - L-shape
 Settee - two seater
 Wear resistant laminate flooring
 LED overhead lighting
 Stowage space under stbd settee cushions
 Front doorway access to foredeck

GALLEY

Staron galley worktop surfaces
 Single lever mixer faucet with pull out sprayer
 Single s/s sink
 Dish and cutlery drying recess with drainage
 Double door domestic fridge
 4-burner hob
 Convection microwave oven
 Gas solenoid shut-off valve with control at switch panel & warning light at cooker
 Gas detectors in each hull connected to alarm in saloon
 Gas cylinder regulator in dedicated LPG locker
 Separate garbage bin locker
 Stowage space in shelf lockers
 Spice rack
 4 x Galley drawers
 2 x Pot storage drawer below oven
 1 x Large overhead storage locker
 Smoke detector / alarm

INTERNAL HELM

Internal Helm Console - Includes steering and engine controls
 LED overhead lighting
 Helm seat c/w backrest integrated with starboard sofa

CABINS x 4 (4 CABIN VERSION)

Laminate finishes
 Queen size berth (2025mm x 1720mm or 80" x 68")
 Bedside tables
 Headboard
 Hanging locker with lower shelf
 LED overhead lighting
 LED reading lamps
 Overhead roller blinds for privacy
 Large open shelves
 Stowage drawers under bunk
 Large hull window incorporating portlight and pleated blind

Transom windows with pleated blind (aft cabins only)
Carbon monoxide detector / alarm

OWNER CABIN (3 CABIN VERSION)

Laminate finishes
Queen size berth (2025mm x 1720mm or 80" x 68")
Bedside tables
Headboard
Large double door wardrobe
Vanity table/desk with drawers under
Bookshelf with oddment stowage
Sliding entrance door with lock
LED reading lamps
Carbon monoxide detector / alarm

HEADS COMPARTMENTS x 4 (4 CABIN VERSION)

Washbasin with basin mixer and Staron top
Vanity locker with mirror
Towel hook and rail
Shower area c/w lever mixer and adjustable shower rose
Shower sump with automatic drainage
LED Overhead lighting
Overhead roller blinds for privacy
Electric sea water flush toilet

OWNER CABIN HEADS (3 CABIN VERSION)

Double washbasin with basin mixers and Staron top
Vanity locker with mirror
Towel hook and rail
Separate shower compartment with acrylic enclosure c/w lever mixer and adjustable shower
Shower sump with automatic drainage
LED Overhead lighting
Electric sea water flush toilet

ENGINE & CONTROLS

Double lever throttle / gearshift control
Sound deadening panels in engine room
2 x Engine room ventilation fans and ducting
2 x Yanmar 370HP diesel engines
2 x Propellers - 4-blade fixed
2 x Fuel deck fillers
2 x Fuel filter / water separators
2 x Composite fuel tanks 562USgal / 2130Ltr total capacity
2 x Exhaust skin fittings (s/s)
2 x Exhaust water locks
2 x Cooling water inlet strainers
2 x Exhaust cooling water temperature sensors with audible alarms at helm
2 x Moisture eliminating grilles

DECK FITTINGS

Guard railing (s/s)
2 x Pushpits (s/s)
2 x Pulpit seats (port & stbd)
1600w vertical windlass 10mm gypsy c/w hand held remote
Anchor bow roller fitting for primary anchor
Anchor bow roller fitting for secondary anchor
Anchor chain stopper
1 x Chain locker
1 x Anchor/windlass locker
2 x Foredeck lockers
Gas cylinder locker
Sliding companionway door
Hardtop over aft cockpit
L-shaped settee in aft cockpit with cushions and bolster
Sunbed in aft cockpit with cushions and bolster
Table in aft cockpit
Swimming ladder
Acrylic smoke grey tinted windows
Hatches:
2 x Size 44 Flush Hatch over cabins
2 x Size 60 Flush Hatch on foredeck (vented)
Portlights:
10 x Size 1 in hull side and transom
Foredeck lounging area
c/w watertight saloon access door and
2 x fwd facing sun loungers
4 x Drinks holders in forward cockpit
2 x Drinks holders in aft cockpit
2 x Coachroof handrails (s/s)
2 x Aft hardtop grab handles (s/s)
1 x 330mm mooring cleat in anchor locker
10 x 300mm s/s mooring cleats
2 x Teak folding deck chairs

FLYBRIDGE

Helm station console
Staircase from aft cockpit to flybridge with LED courtesy lighting
U-shaped upholstered settee
Sunbed with mattress facing aft
Wetbar unit with sink and faucet and GRP worktop

Life raft locker
Stowage locker in wetbar
Central fixed cocktail table with drink holder recess
Guard railing around aft section of flybridge (s/s)
Acrylic windscreen around fwd section of flybridge
Hardtop over flybridge
Hardtop supports
Overhead lighting
2 x Pop-up lights
3 x Drinks holders

ELECTRICAL INSTALLATION

LED Courtesy lights at stairways
LED Bi-colour & stern navlights
12v DC switch panel
1 x 12v outlet sockets at helm station
2 x Double USB sockets at helm station
1 x Double USB socket in saloon
2 x Double USB sockets at nav desk
1 x Double USB socket in each cabin
4 x House batteries - 180Ah deep cycle lead acid type
4 x Engine starter batteries - 100Ah AGM type
1 x House battery isolator switch
2 x Engine starter battery isolator switches
2 x Alternators, standard with engines
1 x Electrical spares kit: fuses, relays, fuse holders
1 x Electric fog horn with control at helm station
Digital monitoring including
1 x Axiom 7" Multifunction Display at helm for digital systems monitoring
3000W 110V Inverter for convection microwave oven
1200W 220V Inverter for refrigerator

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:
2 x Water tanks, 185USgal / 700ltr total capacity with level reading and gauges
2 x Fresh water pressure pump with accumulator tank
2 x Hot water cylinders 12USgal / 46ltr total capacity
Transom shower (cold only)
4 x Automatic shower drain pumps (3 for 3-cabin layout)
Holding tanks, 45USgal / 170ltr total capacity
2 x Electric bilge pumps (keel sump) with float switches and alarm at switch panel
2 x Manual bilge pumps
2 x High water bilge float switches with alarm at switch panel
2 x Electric bilge pumps (engine room) with flat switch and warning light at switch panel
Freshwater connection
Seagull IV-X-2B water purification system supplying refrigerator

RUDDER & STEERING SYSTEM

Balanced spade rudders in stainless steel
Rudder stock in stainless steel
Bearings with fibreglass rudder tube
Hydraulic steering system
Soft-grip steering wheel

NAVIGATION EQUIPMENT

Compass at helm position

GENERAL EQUIPMENT

6 x Fire extinguishers
Automatic Extinguishing system for engine rooms
Owner's Operating Manual
CE Certification NMMA Certification