



LEOPARD
CATAMARANS

FEATURE / SPECIFICATION	LEOPARD 43	LEOPARD 46
Hull Construction	Single shot infusion method saturates the entire hull structure in one controlled resin application	Single shot infusion method saturates the entire hull structure in one controlled resin application
Sail Area	1,354 sq ft	1,512 sq ft
Engines	2x 45-hp Yanmar diesel engines	Option to upgrade to twin 57-hp Yanmar diesels or hybrid-electric propulsion
Solar Panel Placement	No heavy stainless steel solar arch needed	Roof space to mount four 400W glass solar panels
Solar Capacity	Up to 1,365W integrated glass solar panels	Up to 1,600W integrated glass solar panels
Helm	More forward helm lounge with improved visibility for enhanced social connection and safety underway	More forward helm lounge with improved visibility and a more comfortable helm seat
Aft Cockpit Design	Glass companionway doors open fully to one side, cockpit and saloon combine into one large entertaining area	Expanded cockpit seating with improved flow to the saloon
Interior Natural Light	Wraparound coachroof windows made from flat toughened glass for improved optical clarity	Wraparound coachroof windows made from flat toughened glass for improved optical clarity

Cabin Layouts	3 or 4 cabins	Up to 5 cabins with more configuration flexibility, including an option for a utility room
Galley	Expanded galley with more counter space and storage	Expanded galley with more counter space and storage
Finish Level	Premium home-like finishes using upgraded materials	Premium home-like finishes using upgraded materials
Tech & Systems	Upgraded navigation and power management systems	Upgraded navigation and power management systems
Visibility	Full wraparound glazing with true 360-degree panoramic views	Wraparound coachroof windows with expansive panoramic views
Indoor-outdoor Living	Sliding companionway door creates one continuous living space	Companionway door retracts behind the helm station for maximum openness
Cockpit and saloon functionality	Two independent spaces remain fully usable when the door is closed	Two full-function spaces remain comfortable and spacious when closed
Coachroof lounge	Positioned adjacent to the helm for improved communication	Positioned adjacent to the helm with expanded social space
Propulsion	Twin diesel engines	Twin diesel engines or optional hybrid electric drive
Special Features	Forward cockpit settee, integrated dock side-step, optional composite longeron	Hybrid drive option, utility cabin, optional lifting tender platform
Forward Door	Forward cockpit door plus upholstered settee	Forward cockpit door

Dock Access

New integrated side-step for
easier boarding

Standard dock access